Crystal Controlled Oscillator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-01-331-7913

0.887 inches	
Overall Height:	
0.400 inches Overall Width:	
0.540 inches	
Operating Tempu	refure Panga
-55.0/+125.0 degre	-
Storage Tempura	
-62.0/+125.0 degre	-
Average Life Mea	
Not rated	
Basic Shape Style	- .
Rectangular or squ	
Inclosure Type:	
Hermetically seale	d
Operating Contro	
Automatic	
Installation Desig	n:
Module	
Control Type:	
Remote	
Circuit Construct	ion Type:
Solid state	
Frequency Per Cl	nannel:
32.768 megahertz	operating channel
Connection Type	And Location:
Err-060 glad hand	quick disconnect
Connection Cont	act Type And Quantity:
14 liters of liquid ni	trogen drain
External Dc Oper	ating Voltage In Volts:
4.5 single voltage	and 5.5 single voltage
Test Data Docum	ent:
81349-mil-o-55310	specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes of	commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and	performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Specification Dat	a:
81349-mil-o-5531(1/16 government specification
Shelf Life:	
N/a	
Unit Of Measure:	

Yes - demil/mli

NSN 5955-01-331-7913

Crystal Controlled Oscillator - Page 2 of 2

Fiig: A32200

