Crystal Controlled Oscillator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-01-331-8813

Overall Length:	
0.890 inches	
Overall Height:	
0.530 inches	
Overall Width:	
0.520 inches	
Environmental Protection:	
Moisture proof	
Operating Tempurature Range:	
+0.0/+50.0 degrees celsius	
Storage Tempurature Range:	
-62.0/+71.0 degrees celsius	
Average Life Measurement:	
Not rated	
End Application:	
Receiver, recorder set an/smq-11	
Basic Shape Style:	
Rectangular or square	
Identification Designator:	
1217as776-3-30003	
Inclosure Type:	
Encased	
Operating Control Method:	
Automatic	
Installation Design:	
Module	
Control Type:	
Remote	
Circuit Construction Type:	
Solid state	
Frequency Per Channel:	
42.5856 megahertz operating channel	
Impedance Rating Per Channel:	
400.000 ohms output channel	
Connection Type And Location:	
Pin bottom	
Connection Contact Type And Quantity:	
14 pin external	
External Dc Operating Voltage In Volts:	
4.75 single voltage and 5.25 single voltage	
Shelf Life:	
N/a	

Crystal Controlled Oscillator - Page 2 of 2



Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A32200