Crystal Controlled Oscillator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-01-333-6648

Overall Length:	
0.887 inches	
Overall Height:	
0.400 inches	
Overall Width:	
0.540 inches	
Operating Tempurature	Range:
-55.0/+125.0 degrees cels	ius
Storage Tempurature Ra	inge:
-62.0/+125.0 degrees cels	ius
Average Life Measureme	ent:
Not rated	
Basic Shape Style:	
Rectangular or square	
Inclosure Type:	
Hermetically sealed	
Operating Control Metho	od:
Automatic	
Installation Design:	
Module	
Control Type:	
Remote	
Circuit Construction Typ	e:
Solid state	
Frequency Per Channel:	
35.555 megahertz operat	ing channel
Connection Type And Lo	ocation:
Err-060 glad hand quick d	sconnect
Connection Contact Typ	e And Quantity:
14 liters of liquid nitrogen	drain
External Dc Operating V	oltage In Volts:
4.5 single voltage and 5.5	single voltage
Test Data Document:	
81349-mil-o-55310 specifi	cation (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commer	cial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and perform	nance requirements and test conditions that are shown as "typical", "average", "", etc.).
Specification Data:	
81349-mil-o-55310/16 gov	rernment specification
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
Voc domil/mli	

Yes - demil/mli

NSN 5955-01-333-6648

Crystal Controlled Oscillator - Page 2 of 2

Fiig: A32200

