Crystal Controlled Oscillator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-01-350-2123

Ove	all Length:
0.88	7 inches
Ove	all Height:
0.40) inches
Ove	all Width:
0.54) inches
Оре	rating Tempurature Range:
-55.0	/+125.0 degrees celsius
Stor	age Tempurature Range:
-62.0	/+125.0 degrees celsius
Ave	age Life Measurement:
Not i	ated
Basi	c Shape Style:
Rect	angular or square
Inclo	sure Type:
Hern	netically sealed
Оре	rating Control Method:
Auto	matic
Insta	Illation Design:
Mod	ule
Con	rol Type:
Rem	ote
Circ	uit Construction Type:
Solic	state
Freq	uency Per Channel:
1.84	32 megahertz operating channel
Con	nection Type And Location:
Err-C	60 glad hand quick disconnect
Con	nection Contact Type And Quantity:
14 lit	ers of liquid nitrogen drain
Exte	rnal Dc Operating Voltage In Volts:
4.5	single voltage and 5.5 single voltage
Test	Data Document:
8134	9-mil-o-55310 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
form	at; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
envii	onmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Spee	ification Data:
8134	9-mil-o-55310/16 government specification
Shel	f Life:
N/a	
Unit	Of Measure:
Dem	ilitarization:
Yes	- demil/mli

NSN 5955-01-350-2123

Crystal Controlled Oscillator - Page 2 of 2

Fiig: A32200

