Crystal Controlled Oscillator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-01-357-8317

Overall Length:	
Between 0.720 inches and 0.880 inches	
Overall Height:	
0.400 inches	
Overall Width:	
Between 0.480 inches and 0.520 inches	
Environmental Protection:	
Moisture proof	
Operating Tempurature Range:	
-55.0/+125.0 degrees celsius	
Storage Tempurature Range:	
-55.0/+125.0 degrees celsius	
Average Life Measurement:	
Not rated	
Basic Shape Style:	
Rectangular or square	
Identification Designator:	
G490087-1-49956	
Inclosure Type:	
Hermetically sealed	
Operating Control Method:	
Automatic	
Installation Design:	
Module	
Control Type:	
Remote	
Circuit Construction Type:	
Solid state	
Frequency Per Channel:	
3.2768 megahertz operating channel	
Connection Type And Location:	
Pin bottom	
Connection Contact Type And Quantity:	
14 pin external	
External Dc Operating Voltage In Volts:	
4.5 single voltage and 5.5 single voltage	
Criticality Code Justification:	
Feat	
Special Features:	
Electrostatic sensitive device	
Shelf Life:	
N/a	

Crystal Controlled Oscillator - Page 2 of 2



Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A32200