

View Online at <https://aerobasegroup.com/nsn/5955-01-372-8176>

Inclosure Material:

Steel

Overall Length:

3.922 inches

Overall Height:

1.159 inches

Overall Width:

3.784 inches

Environmental Protection:

Shock resistant and salt spray resistant and vibration

Individual Section Quantity:

2

Vibration Resistance Amplitude:

17.0 gravitational units

Operating Temperature Range:

-55.0/+105.0 degrees celsius

Average Life Measurement:

Not rated

Basic Shape Style:

Rectangular or square

Phase Shift Angle In Deg:

45.0 input to output

Maximum Operating Altitude Rating:

70000.0 feet

Inclosure Type:

Hermetically sealed

Operating Control Method:

Automatic

Installation Design:

Module

Control Type:

Remote

Circuit Construction Type:

Solid state

Frequency Shift:

100.0 kilohertz

Frequency Per Channel:

99.8 megahertz 1st operating channel err-100 and 127.7999 megahertz 1st operating channel err-100

Frequency Adjustment Type:

Continuous

Variation Frequency Rating In Decibels:

80.0 and 125.0

Attenuation In Decibels:

80.0

Signal Voltage Rating Per Channel:

Between 6.000 volts input and 14.000 volts interstage

Connection Type And Location:

Pin right side and pin bottom

Connection Contact Type And Quantity:

11 pin external

External Dc Operating Voltage In Volts:

18.0 single voltage

Nuclear Hardness Critical Feature:

Hardened

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32200