NSN 5955-01-373-5773

Crystal Controlled Oscillator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-01-373-5773 **Reliability Indicator:** Not established **Overall Length:** 2.000 inches **Overall Height:** 0.750 inches **Overall Width:** 2.000 inches **Environmental Protection:** Shock resistant and vibration **Shock Resistance Rating In Gravitational Units:** 30.0 **Operating Tempurature Range:** +0.0/+70.0 degrees celsius **Storage Tempurature Range:** -55.0/+85.0 degrees celsius **Average Life Measurement:** Not rated **End Application:** 4935-01-251-3692 test set, guided missile system **Basic Shape Style:** Rectangular or square **Inclosure Type:** Encased **Operating Control Method:** Automatic **Installation Design:** Module **Control Type:** Remote **Circuit Construction Type:** Solid state Frequency Per Channel: 180.0 kilohertz operating channel **Shock Pulse Duration Time:** 11.0 milliseconds **Connection Type And Location:** Pin bottom **Connection Contact Type And Quantity:** 5 pin external **External Dc Operating Voltage In Volts:** 14.25 single voltage and 15.75 single voltage

NSN 5955-01-373-5773

Crystal Controlled Oscillator - Page 2 of 2



Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32200