NSN 5955-01-376-1121

Crystal Controlled Oscillator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-01-376-1121

Reliability Indicator:
Not established
Inclosure Material:
Plastic
Overall Height:
0.580 inches
Overall Width:
1.900 inches
Environmental Protection:
Shock resistant
Individual Section Quantity:
2
Operating Tempurature Range:
+15.0/+32.0 degrees celsius
Storage Tempurature Range:
-18.0/+54.0 degrees celsius
Average Life Measurement:
Not rated
Basic Shape Style:
Rectangular or square
Maximum Operating Altitude Rating:
6000.0 feet
Inclosure Type:
Encased
Operating Control Method:
Automatic
Installation Design:
Module
Control Type:
Remote
Circuit Construction Type:
Solid state
Frequency Per Channel:
199.2348 megahertz operating channel err-100199.0860 megahertz operating channel err-100
Signal Voltage Rating Per Channel:
Between -0.050 volts input and 0.050 volts interstage 14.950 volts input and 15.050 volts interstage
Connection Type And Location:
Pin left side and connector, plug left side
Connection Contact Type And Quantity:
3 pin external and 1 connector, plug external
External Dc Operating Voltage In Volts:
15.0 single voltage

NSN 5955-01-376-1121

Crystal Controlled Oscillator - Page 2 of 2



Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32200