Reliability Indicator: Not established

Crystal Controlled Oscillator - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5955-01-376-1620



Inclosure Material: Plastic **Overall Length:** Between 0.605 inches and 0.645 inches **Overall Height:** 0.090 inches **Overall Width:** 1.000 inches **Environmental Protection:** Shock resistant and vibration **Operating Tempurature Range:** -55.0/+125.0 degrees celsius Storage Tempurature Range: -55.0/+125.0 degrees celsius Average Life Measurement: Not rated **Basic Shape Style:** Rectangular or square Inclosure Type: Encased **Operating Control Method:** Automatic Installation Design: Module **Control Type:** Remote **Circuit Construction Type:** Solid state **Frequency Per Channel:** 33.3850 megahertz operating channel **Connection Type And Location:** Pin left side and pin right side **Connection Contact Type And Quantity:** 20 pin external **External Dc Operating Voltage In Volts:** 4.75 single voltage and 5.25 single voltage **Nuclear Hardness Critical Feature:** Hardened **Precious Material And Location:** Cover surface gold

NSN 5955-01-376-1620

Crystal Controlled Oscillator - Page 2 of 2

Precious Material:

Gold

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32200

