NSN 5955-01-376-1620

Crystal Controlled Oscillator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-01-376-1620
Reliability Indicator:
Not established
Inclosure Material:
Plastic
Overall Length:
Between 0.605 inches and 0.645 inches
Overall Height:
0.090 inches
Overall Width:
1.000 inches
Environmental Protection:
Shock resistant and vibration
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-55.0/+125.0 degrees celsius
Average Life Measurement:
Not rated
Basic Shape Style:
Rectangular or square
Inclosure Type:
Encased
Operating Control Method:
Automatic
Installation Design:
Module
Control Type:
Remote
Circuit Construction Type:
Solid state
Frequency Per Channel:
33.3850 megahertz operating channel
Connection Type And Location:
Pin left side and pin right side
Connection Contact Type And Quantity:
20 pin external

External Dc Operating Voltage In Volts:

4.75 single voltage and 5.25 single voltage

Nuclear Hardness Critical Feature:

Hardened

Precious Material And Location:

Cover surface gold

NSN 5955-01-376-1620

Crystal Controlled Oscillator - Page 2 of 2



Precious	wateriai	:

Gold

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32200