Crystal Controlled Oscillator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-01-399-7255

| Overall Length:   |
|---|
| 0.625 inches  |
| Overall Height:   |
| 0.130 inches  |
| Overall Width:  |
| 0.625 inches  |
| Operating Tempurature Range:  |
| -55.0/+105.0 degrees celsius  |
| Average Life Measurement:   |
| Not rated   |
| End Application:  |
| F/a-18 radar, cage 76301  |
| Basic Shape Style:  |
| Rectangular or square   |
| Inclosure Type:   |
| Hermetically sealed   |
| Operating Control Method:   |
| Automatic   |
| Installation Design:  |
| Module  |
| Control Type:   |
| Remote  |
| Circuit Construction Type:  |
| Solid state   |
| Frequency Per Channel:  |
| 20.000 megahertz operating channel  |
| Connection Type And Location:   |
| Pin left side and pin right side  |
| Connection Contact Type And Quantity:   |
| 20 pin external   |
| External Dc Operating Voltage In Volts:   |
| 4.5 single voltage and 5.5 single voltage   |
| Precious Material And Location:   |
| Terminal surfaces gold  |
| Precious Material:  |
| Gold  |
| Test Data Document:   |
| 82577-h8000290 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, |
| ate : excludes any specification standard or other document that may be referenced in a basic governing drawing)                    |

etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

## **Specification Data:**

82577-h8000290-001 manufacturers specification control

## Shelf Life:

Crystal Controlled Oscillator - Page 2 of 2



Unit Of Measure:

---

Demilitarization:

Yes - demil/mli

Fiig:

A32200