## NSN 5955-01-410-7812

Quartz Crystal Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-01-410-7812

Overall Length:
0.530 inches
Terminal Length:
1.500 inches
Overall Width:
0.535 inches
Body Width:
0.402 inches
Body Thickness:
0.150 inches
Overall Thickness:
0.183 inches
Terminal Diameter:
Between 0.016 inches and 0.019 inches
Mode Of Oscillation:
Fundamental
Circuit Resonance:
Antiresonance
Load Capacitance In Picofarads:
Between 32.0 and 31.5 and 32.5
Specified Frequency:
16.000000 megahertz
Holder Cover Material:
Metal or glass
Operating Tempurature Range:
-55.0/+105.0 degrees celsius and -55.0/+125.0 degrees celsius
End Application:
Detector proc, cage 26512
Center To Center Distance Between Terminals:
0.184 mils and 0.200 centimeters
Drive Level Rating:
5.0 milliwatts
Frequency Tolerance For Operating Tempurature In Percent:
-0.001/+0.001 and -0.003/+0.003
Equivalent Resistance Value In Ohms:
20.0
Style Designator:
Rectangular body, pin terminals
Test Data Document:
60664-104459 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.;
excludes any specification, standard or other document that may be referenced in a basic governing drawing)

60994-104459 manufacturers specification control

**Specification Data:** 

## NSN 5955-01-410-7812

Quartz Crystal Unit - Page 2 of 2



Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A059a0