Crystal Controlled Oscillator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-01-413-8583

## **Overall Length:**

Between 0.465 inches and 0.495 inches

### **Overall Height:**

0.085 inches

## Overall Width:

Between 0.465 inches and 0.495 inches

#### **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

#### Average Life Measurement:

Not rated

#### End Application:

C10661b/aas38, cage 09205

#### **Basic Shape Style:**

Rectangular or square

#### Inclosure Type:

# Hermetically sealed

## **Operating Control Method:**

Automatic

# Installation Design:

Module

### Control Type:

Remote

### **Circuit Construction Type:**

Solid state

### **Frequency Per Channel:**

80.000 megahertz operating channel

### **Connection Type And Location:**

Pin front and pin left side and pin rear and pin right side

### **Connection Contact Type And Quantity:**

40 pin external

### **External Dc Operating Voltage In Volts:**

5.25 single voltage

### Test Data Document:

96214-3119483 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

#### **Specification Data:**

96214-3119483-2 manufacturers specification control

## Shelf Life:

N/a

### Unit Of Measure:

---

#### Demilitarization:

No

# NSN 5955-01-413-8583 Crystal Controlled Oscillator - Page 2 of 2

Fiig: A32200

