NSN 5955-01-413-9166

Crystal Controlled Oscillator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-01-413-9166 **Overall Length:** 1.500 inches **Overall Diameter:** 2.000 inches **Operating Tempurature Range:** -40.0/+95.0 degrees celsius Average Life Rating: 1000.0 **Average Life Measurement:** Hours **Average Life Rating In Hours:** 1000.0 **End Application:** 1643, cage 96214 **Basic Shape Style:** Cylindrical **Inclosure Type:** Hermetically sealed **Operating Control Method:** Automatic Installation Design: Mechanical **Control Type:** Remote **Circuit Construction Type:** Solid state **Connection Type And Location:** Pin bottom and receptacle, coaxial bottom **Connection Contact Type And Quantity:** 8 pin external and 1 receptacle, coaxial external **External Dc Operating Voltage In Volts:** 24.0 2nd voltage err-100 and 32.0 2nd voltage err-100 **Test Data Document:** 96214-1651921 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) **Specification Data:** 96214-1651921-5 manufacturers source control Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

Yes - demil/mli

NSN 5955-01-413-9166 Crystal Controlled Oscillator - Page 2 of 2



Fiig:

A32200