Crystal Controlled Oscillator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-01-423-5251

Overall Length:
0.780 inches
Overall Height:
0.300 inches
Overall Width:
0.490 inches
Operating Tempurature Range:
-55.0/+75.0 degrees celsius
Average Life Measurement:
Not rated
End Application:
An/aww-7b, control monitor, cage 30003
Basic Shape Style:
Rectangular or square
Inclosure Type:
Hermetically sealed
Operating Control Method:
Automatic
Installation Design:
Module
Control Type:
Remote
Circuit Construction Type:
Solid state
Frequency Per Channel:
1.259874 megahertz operating channel and 1.260126 megahertz operating channel
Connection Type And Location:
Pin bottom
Connection Contact Type And Quantity:
3 pin external
External Dc Operating Voltage In Volts:
4.75 single voltage and 5.25 single voltage
Test Data Document:
30003-1035as210 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing,
etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Specification Data:
30003-1035as210 manufacturers specification control
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

NSN 5955-01-423-5251

Crystal Controlled Oscillator - Page 2 of 2

Fiig: A32200

