NSN 5955-01-446-9769

Quartz Crystal Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-01-446-9769

View Online at https://aerobasegroup.com/nsn/5955-01-446-9769			
Overall Length:			
Between 19.1 millimeters and 19.8 millimeters			
Terminal Length:			
Between 5.7 millimeters and 6.3 millimeters			
Overall Width:			
11.1 millimeters			
Body Length:			
13.5 millimeters			
Body Width:			
10.2 millimeters			
Body Thickness:			
3.8 millimeters			
Overall Thickness:			
4.7 millimeters			
Terminal Diameter:			
Between 1.0 millimeters and 1.1 millimeters			
Mode Of Oscillation:			
Fundamental			
Circuit Resonance:			
Antiresonance			
Load Capacitance In Picofarads:			
Between 29.5 and 30.5			
Shunt Capacitance In Picofarads:			
7.0			
Specified Frequency:			
9.647 megahertz			
Holder Cover Material:			
Metal			
Operating Tempurature Range:			
-55.0/+105.0 degrees celsius			
Center To Center Distance Between Terminals:			
4.7 major mils and 5.1 major centimeters			
Drive Level Rating:			
Between 4.0 milliwatts and 6.0 milliwatts			
Frequency Tolerance For Operating Tempurature In Percent:			
-0.005/+0.005			
Equivalent Resistance Value In Ohms:			
30.0			
Style Designator:			
Oval body, pin terminals			

Specification Data:

81349-mil-c-3098/62 government specification

NSN 5955-01-446-9769

Quartz Crystal Unit - Page 2 of 2



She	lf	I if	ρ.
~	•••		•

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A059a0