NSN 5955-01-545-6874

Crystal Controlled Oscillator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-01-545-6874

view Online at https://aerobasegroup.com/nsn/0300-01-040-00/4
Overall Length:
0.780 inches
Overall Diameter:
0.410 inches
Individual Section Quantity:
1
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-62.0/+125.0 degrees celsius
Average Life Measurement:
Not rated
End Application:
Processor, cca; mcm 9-14, aft deck equipment
Basic Shape Style:
Cylindrical
Inclosure Type:
Hermetically sealed
Operating Control Method:
Automatic
Installation Design:
Module
Control Type:
Remote
Circuit Construction Type:
Solid state
Frequency Per Channel:
16.0 megahertz operating channel err-100
Connection Type And Location:
Pin bottom
Connection Contact Type And Quantity:
8 pin external
External Dc Operating Voltage In Volts:
4.5 single voltage and 5.5 single voltage
Product Name:
Inavy: microcircuit (1), d
Test Data Document:
81349-mil-o-55310 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Specification Data:
81349-mil-o-55310/9 government specification

N/a

Shelf Life:

NSN 5955-01-545-6874

Crystal Controlled Oscillator - Page 2 of 2



Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32200