## NSN 5961-00-138-6953

Transistor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5961-00-138-6953

| /iew Online at https://aerobasegroup.com/nsn/5961-00-138-6953   |
|---|
| nclosure Material:  |
| Metal   |
| Overall Length:   |
| Between 0.240 inches and 0.260 inches   |
| Ferminal Length:  |
| 1.500 inches  |
| Overall Diameter:   |
| Between 0.335 inches and 0.370 inches   |
| nternal Configuration:  |
| Junction contact  |
| Electrode Internally-electrically Connected To Case:  |
| Collector   |
| Mounting Method:  |
| Terminal Terminal   |
| Ferminal Circle Diameter:   |
| 0.200 inches  |
| Features Provided:  |
| Hermetically sealed case  |
| Semiconductor Material:   |
| Silicon   |
| /oltage Rating In Volts Per Characteristic:   |
| 30.0 collector to base voltage/static/emitter open and 50.0 collector to emitter voltage/static/base open and 5.0 emitter to base voltage,  |
| static, collector open  |
| Current Rating Per Characteristic:  |
| 1.00 amperes source cutoff current  |
| Power Rating Per Characteristic:  |
| 1.0 watts small-signal input power, common-collector absolute   |
| Special Features:   |
| Junction pattern arrangement: npn   |
| Test Data Document:   |
| 31349-mil-s-19500 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification  |
| ormat; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain  |
| environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).   |
| Ferminal Type And Quantity:   |
| 3 uninsulated wire lead   |
| Specification Data:   |
| 31349-mil-s-19500/347 government specification  |
| Shelf Life:   |
| N/a   |
| Jnit Of Measure:  |
| -   |
| Demilitarization:   |
| Special Features: Junction pattern arrangement: npn  Fest Data Document: 31349-mil-s-19500 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification ormat; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).  Ferminal Type And Quantity: 3 uninsulated wire lead  Specification Data: 31349-mil-s-19500/347 government specification  Shelf Life:  N/a  Unit Of Measure: |

Fiig:

No