## NSN 5961-00-243-9159



Transistor - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5961-00-243-9159 **Inclosure Material:** Metal **Overall Length:** Between 0.170 inches and 0.210 inches **Terminal Length:** 0.500 inches **Overall Diameter:** Between 0.209 inches and 0.230 inches **Internal Configuration:** Field effect **Electrode Internally-electrically Connected To Case:** Gate **Mounting Method: Terminal Terminal Circle Diameter:** 0.100 inches **Features Provided:** Hermetically sealed case **Semiconductor Material:** Silicon Voltage Rating In Volts Per Characteristic: 40.0 drain to gate voltage and 40.0 drain to source voltage and -40.0 gate to source voltage **Current Rating Per Characteristic:** 50.00 milliamperes gate current **Power Rating Per Characteristic:** 1.8 watts total power dissipation **Maximum Operating Tempurature Per Measurement Point:** 200.0 degrees celsius junction **Test Data Document:** 81349-mil-prf-19500 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). **Terminal Type And Quantity:** 3 uninsulated wire lead **Specification Data:** 81349-mil-prf-19500/385 government specification Shelf Life: N/a **Unit Of Measure:** 

**Fiig:** A110a0

No

**Demilitarization:** 

## NSN 5961-00-243-9159

Transistor - Page 2 of 2



Mil-std (military Standard):

Mil-prf-19500 spec.