NSN 5961-00-283-5524

Transistor - Page 1 of 2



view Online at https://aerobasegroup.com/nsn/5961-00-263-5524
Inclosure Material:
Metal
Overall Length:
1.250 inches
Overall Height:
0.340 inches
Overall Width:
0.700 inches
Mounting Facility Quantity:
2
Internal Configuration:
Junction contact-darlington connected
Joint Electronic Device Engineering Council/jedec/case Outline Designation:
To-66
Mounting Method:
Unthreaded hole
Features Provided:
Hermetically sealed case
Semiconductor Material:
Silicon
Voltage Rating In Volts Per Characteristic:
80.0 collector to base voltage/static/emitter open and 80.0 collector to emitter voltage/static/base open and 5.0 emitter to base voltage,
static, collector open
Current Rating Per Characteristic:
8.00 amperes source cutoff current and 120.00 milliamperes source cutoff current
Power Rating Per Characteristic:
75.0 watts small-signal input power, common-collector preset
Maximum Operating Tempurature Per Measurement Point:
200.0 degrees celsius ambient air
Special Features:
Junction pattern arrangement: npn
Test Data Document:
81349-mil-prf-19500 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Terminal Type And Quantity:
2 pin and 1 case
Specification Data:
81349-mil-prf-19500/539 government specification
Shelf Life:
N/a
Unit Of Measure:

Voc. domil/mli

Demilitarization:

NSN 5961-00-283-5524

Transistor - Page 2 of 2



Fiig:

A110a0

Mil-std (military Standard):

Mil-prf-19500 spec.