## NSN 5961-00-349-7075

Diode Semiconductor Device - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5961-00-349-7075 **Inclosure Material:** Metal **Overall Length:** 1.453 inches **Overall Diameter:** 0.667 inches **Mounting Facility Quantity:** Joint Electronic Device Engineering Council/jedec/case Outline Designation: **Electrode Internally-electrically Connected To Case:** Anode **Mounting Method:** Threaded stud **Features Provided:** Hermetically sealed case **Overall Width Across Flats:** Between 0.667 inches and 0.687 inches **Thread Size:** 0.250 inches **Semiconductor Material:** Silicon Voltage Rating In Volts Per Characteristic: 36.0 regulator voltage **Voltage Tolerance In Percent:** -5.0/+5.0 **Current Rating Per Characteristic:** 0.35 amperes service voltage horsepower metric and 1.32 amperes repetitive peak forward current **Power Rating Per Characteristic:** 50.0 watts small-signal input power, common-collector preset **Maximum Operating Tempurature Per Measurement Point:** 150.0 degrees celsius case **Test Data Document:** 81349-mil-prf-19500 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). **Thread Series Designator:** Unf **Terminal Type And Quantity:** 1 threaded stud and 1 tab, solder lug

--

N/a

Shelf Life:

**Unit Of Measure:** 

## NSN 5961-00-349-7075

Diode Semiconductor Device - Page 2 of 2



Demilitarization:

No

Fiig:

A110a0

Mil-std (military Standard):

Mil-prf-19500 spec.