**Inclosure Material:** 

Diode Semiconductor Device - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5961-00-349-7075

| Metal  |
|--|
| Overall Length:  |
| 1.453 inches   |
| Overall Diameter:  |
| 0.667 inches   |
| Mounting Facility Quantity:  |
| 1  |
| Joint Electronic Device Engineering Council/jedec/case Outline Designation:  |
| Do-5   |
| Electrode Internally-electrically Connected To Case:   |
| Anode  |
| Mounting Method:   |
| Threaded stud  |
| Features Provided:   |
| Hermetically sealed case   |
| Overall Width Across Flats:  |
| Between 0.667 inches and 0.687 inches  |
| Thread Size:   |
| 0.250 inches   |
| Semiconductor Material:  |
| Silicon  |
| Voltage Rating In Volts Per Characteristic:  |
| 36.0 regulator voltage   |
| Voltage Tolerance In Percent:  |
| -5.0/+5.0  |
| Current Rating Per Characteristic:   |
| 0.35 amperes service voltage horsepower metric and 1.32 amperes repetitive peak forward current  |
| Power Rating Per Characteristic:   |
| 50.0 watts small-signal input power, common-collector preset   |
| Maximum Operating Tempurature Per Measurement Point:   |
| 150.0 degrees celsius case   |
| Test Data Document:  |
| 81349-mil-prf-19500 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification |
| format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain            |
| environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).                              |
| Thread Series Designator:  |
| Unf  |
| Terminal Type And Quantity:  |
| 1 threaded stud and 1 tab, solder lug  |
| Shelf Life:  |
| N/a  |
| Unit Of Measure:   |
|  |
|  |

Diode Semiconductor Device - Page 2 of 2



Demilitarization:

No

Fiig:

A110a0

Mil-std (military Standard):

Mil-prf-19500 spec.