NSN 5961-00-402-1562

Transistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5961-00-402-1562

| Inclosure Material: | |
|--|---|
| Metal | |
| Overall Length: | |
| 0.075 inches | |
| Terminal Length: | |
| 0.500 inches | |
| Overall Diameter: | |
| Between 0.209 inches and 0.230 inc | hes |
| Internal Configuration: | |
| Junction contact | |
| Internal Junction Configuration: | |
| Pnp | |
| Mounting Method: | |
| Terminal | |
| Terminal Circle Diameter: | |
| 0.100 inches | |
| Features Provided: | |
| Hermetically sealed case | |
| Semiconductor Material: | |
| Silicon | |
| Voltage Rating In Volts Per Charac | cteristic: |
| -40.0 collector to base voltage/static | c/emitter open and -40.0 emitter to base voltage, dc |
| Current Rating Per Characteristic: | |
| -100.00 milliamperes source cutoff c | urrent |
| Power Rating Per Characteristic: | |
| 400.0 milliwatts small-signal input po | wer, common-collector preset |
| Maximum Operating Tempurature | Per Measurement Point: |
| 200.0 degrees celsius junction | |
| Precious Material And Location: | |
| Terminal surfaces gold | |
| Precious Material: | |
| Gold | |
| Test Data Document: | |
| 96214-534467 drawing (this is the ba | asic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, et |
| excludes any specification, standard | d or other document that may be referenced in a basic governing drawing) |
| Terminal Type And Quantity: | |
| 3 uninsulated wire lead | |
| Shelf Life: | |
| N/a | |
| Unit Of Measure: | |

Demilitarization:

No

NSN 5961-00-402-1562 Transistor - Page 2 of 2

Fiig: A110a0

