Diode Semiconductor Device - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5961-00-405-8427

Inclosure Material: Glass Overall Length: 0.312 inches Terminal Length: 1.000 inches Overall Diameter: 0.109 inches Mounting Method: Terminal Semiconductor Material: Silicon Voltage Rating In Volts Per Characteristic: 9.2 regulator voltage Power Rating Per Characteristic: 400.0 milliwatts small-signal input power, common-collector preset Terminal Type And Quantity: 2 uninsulated wire lead Shelf Life:
Overall Length:0.312 inchesTerminal Length:1.000 inchesOverall Diameter:0.109 inchesMounting Method:TerminalSemiconductor Material:SiliconVoltage Rating In Volts Per Characteristic:9.2 regulator voltagePower Rating Per Characteristic:400.0 milliwatts small-signal input power, common-collector presetTerminal Type And Quantity:2 uninsulated wire leadShelf Life:
0.312 inches Terminal Length: 1.000 inches Overall Diameter: 0.109 inches Mounting Method: Terminal Semiconductor Material: Silicon Voltage Rating In Volts Per Characteristic: 9.2 regulator voltage Power Rating Per Characteristic: 400.0 milliwatts small-signal input power, common-collector preset Terminal Type And Quantity: 2 uninsulated wire lead Shelf Life:
Terminal Length:1.000 inchesOverall Diameter:0.109 inchesMounting Method:TerminalSemiconductor Material:SiliconVoltage Rating In Volts Per Characteristic:9.2 regulator voltagePower Rating Per Characteristic:400.0 milliwatts small-signal input power, common-collector presetTerminal Type And Quantity:2 uninsulated wire leadShelf Life:
 1.000 inches Overall Diameter: 0.109 inches Mounting Method: Terminal Semiconductor Material: Silicon Voltage Rating In Volts Per Characteristic: 9.2 regulator voltage Power Rating Per Characteristic: 400.0 milliwatts small-signal input power, common-collector preset Terminal Type And Quantity: 2 uninsulated wire lead Shelf Life:
Overall Diameter:0.109 inchesMounting Method:TerminalSemiconductor Material:SiliconVoltage Rating In Volts Per Characteristic:9.2 regulator voltagePower Rating Per Characteristic:400.0 milliwatts small-signal input power, common-collector presetTerminal Type And Quantity:2 uninsulated wire leadShelf Life:
0.109 inches Mounting Method: Terminal Semiconductor Material: Silicon Voltage Rating In Volts Per Characteristic: 9.2 regulator voltage Power Rating Per Characteristic: 400.0 milliwatts small-signal input power, common-collector preset Terminal Type And Quantity: 2 uninsulated wire lead Shelf Life:
 Mounting Method: Terminal Semiconductor Material: Silicon Voltage Rating In Volts Per Characteristic: 9.2 regulator voltage Power Rating Per Characteristic: 400.0 milliwatts small-signal input power, common-collector preset Terminal Type And Quantity: 2 uninsulated wire lead Shelf Life:
Terminal Semiconductor Material: Silicon Voltage Rating In Volts Per Characteristic: 9.2 regulator voltage Power Rating Per Characteristic: 400.0 milliwatts small-signal input power, common-collector preset Terminal Type And Quantity: 2 uninsulated wire lead Shelf Life:
Semiconductor Material: Silicon Voltage Rating In Volts Per Characteristic: 9.2 regulator voltage Power Rating Per Characteristic: 400.0 milliwatts small-signal input power, common-collector preset Terminal Type And Quantity: 2 uninsulated wire lead Shelf Life:
Silicon Voltage Rating In Volts Per Characteristic: 9.2 regulator voltage Power Rating Per Characteristic: 400.0 milliwatts small-signal input power, common-collector preset Terminal Type And Quantity: 2 uninsulated wire lead Shelf Life:
 Voltage Rating In Volts Per Characteristic: 9.2 regulator voltage Power Rating Per Characteristic: 400.0 milliwatts small-signal input power, common-collector preset Terminal Type And Quantity: 2 uninsulated wire lead Shelf Life:
 9.2 regulator voltage Power Rating Per Characteristic: 400.0 milliwatts small-signal input power, common-collector preset Terminal Type And Quantity: 2 uninsulated wire lead Shelf Life:
Power Rating Per Characteristic: 400.0 milliwatts small-signal input power, common-collector preset Terminal Type And Quantity: 2 uninsulated wire lead Shelf Life:
 400.0 milliwatts small-signal input power, common-collector preset Terminal Type And Quantity: 2 uninsulated wire lead Shelf Life:
Terminal Type And Quantity: 2 uninsulated wire lead Shelf Life:
2 uninsulated wire lead Shelf Life:
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A110a0