## NSN 5961-00-419-7547

Diode Semiconductor Device - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5961-00-419-7547 **Inclosure Material:** Metal **Overall Length:** 0.371 inches **Terminal Length:** 1.100 inches **Overall Diameter:** Between 0.215 inches and 0.265 inches **End Application:** Missile, all-weather antiship, harpoon (agm-84); 2m/ate microminiauture automatic test equipment; aircraft, prowler ea-6b **Electrode Internally-electrically Connected To Case:** Cathode **Mounting Method: Terminal Features Provided:** Hermetically sealed case **Criticality Code Justification:** Feat **Semiconductor Material:** Silicon Voltage Rating In Volts Per Characteristic: 11.0 regulator voltage **Voltage Tolerance In Percent:** -5.0/+5.0 **Current Rating Per Characteristic:** 23.00 milliamperes all primaries horsepower metric and 85.00 milliamperes repetitive peak forward current **Power Rating Per Characteristic:** 1.0 watts small-signal input power, common-collector preset **Maximum Operating Tempurature Per Measurement Point:** 175.0 degrees celsius ambient air **Special Features:** Weapon system essential **Test Data Document:** 81349-mil-prf-19500 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

#### **Terminal Type And Quantity:**

2 uninsulated wire lead

#### **Specification Data:**

81349-mil-prf-19500/115 government specification

### Shelf Life:

N/a

#### **Unit Of Measure:**

# NSN 5961-00-419-7547

Diode Semiconductor Device - Page 2 of 2



Demi			

No

Fiig:

A110a0

Mil-std (military Standard):

Mil-prf-19500 spec.