Diode Semiconductor Device - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5961-00-496-9370

#### **Inclosure Material:**

Glass

# **Overall Length:**

Between 0.120 inches and 0.300 inches

# **Terminal Length:**

Between 1.000 inches and 1.500 inches

### **Overall Diameter:**

Between 0.060 inches and 0.107 inches

#### Mounting Method:

Terminal

#### **Features Provided:**

Hermetically sealed case

#### Semiconductor Material:

Silicon

#### Voltage Rating In Volts Per Characteristic:

8.40 regulator voltage

### Voltage Tolerance In Percent:

-5.0/+5.0

#### **Current Rating Per Characteristic:**

10.00 milliamperes all primaries horsepower metric and 55.00 milliamperes repetitive peak forward current

## Power Rating Per Characteristic:

500.0 milliwatts small-signal input power, common-collector preset

#### Maximum Operating Tempurature Per Measurement Point:

175.0 degrees celsius ambient air

#### **Test Data Document:**

81349-mil-prf-19500 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

#### Terminal Type And Quantity:

2 uninsulated wire lead

#### **Specification Data:**

81349-mil-s-19500/158 government specification

#### Shelf Life:

N/a

# Unit Of Measure:

--

#### Demilitarization:

No

Fiig:

A110a0

# Mil-std (military Standard):

Mil-prf-19500 spec.