NSN 5961-00-518-2075

Unitized Semiconductor Device Rectifier - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5961-00-518-2075

View Online at https://aerobasegroup.com/nsn/5961-00-518-2075
Overall Length:
Between 1.245 inches and 1.265 inches
Overall Height:
Between 0.370 inches and 0.380 inches
Overall Width:
Between 1.245 inches and 1.265 inches
End Application:
Los angeles class ssn (688); landing craft air cushion (lcac); forrestal class cv; spruance class dd (963); ticonderoga class cg (47);
sturgeon class (637); helicopter landing system, lamps mk iii; deep submergence systems programs (dssp); support equipment, b-1
aircraft
Circuit Connection Style Designator:
Bridge 1 phase
Absolute Maximum Voltage Rating In Volts Per Characteristic:
600.0 working peak reverse voltage and 600.0 repetitive peak reverse voltage, peak total value
Absolute Maximum Current Rating Per Characteristic:
12.00 amperes average forward current averaged over a full 60-hz cycle
Mounting Method:
Unthreaded hole
Criticality Code Justification:
Feat
Special Features:
Weapon system essential
Material:
Silicon
Terminal Type And Quantity:
4 terminal lug
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:
No
Fiig:
A503j0