Diode Semiconductor Device - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5961-00-618-4854

Ferminal Length: 1.000 inches Overall Diameter: 0.265 inches Joint Electronic Device Engineering Council/jedec/case Outline Designation: Do-13 Mounting Method: Terminal Features Provided: Hermetically sealed case Semiconductor Material: Silicon Voltage Rating In Volts Per Characteristic: 145.0 reverse breakdown voltage, dc and 103.0 reverse voltage, total rms Power Rating Per Characteristic: 1.0 watts small-signal input power, common-collector absolute Maximum Operating Tempurature Per Measurement Point: 175.0 degrees celsius ambient air Precious Material: Silver Perecious Material: Silver Terminal Type And Quantity: 2 uninsulated wire lead Shelf Life: V/a Unit Of Measure: - Demilitarization: No	1455	
0.600 inches Terminal Length: 1.000 inches Overall Diameter: 0.265 inches Joint Electronic Device Engineering Council/jedec/case Outline Designation: Do-13 Mounting Method: Terminal Features Provided: Hermetically sealed case Semiconductor Material: Silicon Voltage Rating In Volts Per Characteristic: 145.0 reverse breakdown voltage, dc and 103.0 reverse voltage, total rms Power Rating Per Characteristic: 1.0 watts small-signal input power, common-collector absolute Maximum Operating Tempurature Per Measurement Point: 175.0 degrees celsius ambient air Precious Material And Location: Leads silver Precious Material: Silver Terminal Type And Quantity: 2 uninsulated wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: No	worall Longth	
Terminal Length: 1.000 inches Overall Diameter: 0.265 inches Joint Electronic Device Engineering Council/jedec/case Outline Designation: Do-13 Mounting Method: Terminal Features Provided: Hermetically sealed case Semiconductor Material: Silicon Voltage Rating In Volts Per Characteristic: 145.0 reverse breakdown voltage, dc and 103.0 reverse voltage, total rms Power Rating Per Characteristic: 1.0 watts small-signal input power, common-collector absolute Maximum Operating Tempurature Per Measurement Point: 175.0 degrees celsius ambient air Precious Material And Location: Leads silver Precious Material: Silver Terminal Type And Quantity: 2 uninsulated wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: No	-	
Terminal Lengin: 1.000 inches Overall Diameter: 0.265 inches Joint Electronic Device Engineering Council/jedec/case Outline Designation: Do-13 Mounting Method: Terminal Features Provided: Hermetically sealed case Semiconductor Material: Silicon Voltage Rating In Volts Per Characteristic: 145.0 reverse breakdown voltage, dc and 103.0 reverse voltage, total rms Power Rating Per Characteristic: 1.0 watts small-signal input power, common-collector absolute Maximum Operating Tempurature Per Measurement Point: 175.0 degrees celsius ambient air Precious Material And Location: Leads silver Precious Material: Silver Terminal Type And Quantity: 2 uninsulated wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:		
Overall Diameter: 0.265 inches Joint Electronic Device Engineering Council/jedec/case Outline Designation: Do-13 Mounting Method: Terminal Features Provided: Hermetically sealed case Semiconductor Material: Silicon Voltage Rating In Volts Per Characteristic: 145.0 reverse breakdown voltage, dc and 103.0 reverse voltage, total rms Power Rating Per Characteristic: 1.0 watts small-signal input power, common-collector absolute Maximum Operating Tempurature Per Measurement Point: 175.0 degrees celsius ambient air Precious Material And Location: Leads silver Precious Material: Silver Terminal Type And Quantity: 2 uninsulated wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: No		
0.265 inches Joint Electronic Device Engineering Council/jedec/case Outline Designation: Do-13 Mounting Method: Terminal Features Provided: Hermetically sealed case Semiconductor Material: Silicon Voltage Rating In Volts Per Characteristic: 145.0 reverse breakdown voltage, dc and 103.0 reverse voltage, total rms Power Rating Per Characteristic: 1.0 watts small-signal input power, common-collector absolute Maximum Operating Tempurature Per Measurement Point: 175.0 degrees celsius ambient air Precious Material And Location: Leads silver Precious Material: Silver Terminal Type And Quantity: 2 uninsulated wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: No		
Joint Electronic Device Engineering Council/jedec/case Outline Designation: Do-13 Mounting Method: Terminal Features Provided: Hermetically sealed case Semiconductor Material: Silicon Voltage Rating In Volts Per Characteristic: 145.0 reverse breakdown voltage, dc and 103.0 reverse voltage, total rms Power Rating Per Characteristic: 1.0 watts small-signal input power, common-collector absolute Maximum Operating Tempurature Per Measurement Point: 175.0 degrees celsius ambient air Precious Material And Location: Leads silver Precious Material: Silver Terminal Type And Quantity: 2 uninsulated wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: No		
Do-13 Mounting Method: Terminal Features Provided: Hermetically sealed case Semiconductor Material: Silicon Voltage Rating In Volts Per Characteristic: 145.0 reverse breakdown voltage, dc and 103.0 reverse voltage, total rms Power Rating Per Characteristic: 1.0 watts small-signal input power, common-collector absolute Maximum Operating Tempurature Per Measurement Point: 175.0 degrees celsius ambient air Precious Material And Location: Leads silver Precious Material: Silver Terminal Type And Quantity: 2 uninsulated wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: No		
Mounting Method: Terminal Features Provided: Hermetically sealed case Semiconductor Material: Silicon Voltage Rating In Volts Per Characteristic: 145.0 reverse breakdown voltage, dc and 103.0 reverse voltage, total rms Power Rating Per Characteristic: 1.0 watts small-signal input power, common-collector absolute Maximum Operating Tempurature Per Measurement Point: 175.0 degrees celsius ambient air Precious Material And Location: Leads silver Precious Material: Silver Terminal Type And Quantity: 2 uninsulated wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: No		n:
Terminal Features Provided: Hermetically sealed case Semiconductor Material: Silicon Voltage Rating In Volts Per Characteristic: 145.0 reverse breakdown voltage, dc and 103.0 reverse voltage, total rms Power Rating Per Characteristic: 1.0 watts small-signal input power, common-collector absolute Maximum Operating Tempurature Per Measurement Point: 175.0 degrees celsius ambient air Precious Material And Location: Leads silver Precious Material: Silver Terminal Type And Quantity: 2 uninsulated wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: No		
Features Provided: Hermetically sealed case Semiconductor Material: Silicon Voltage Rating In Volts Per Characteristic: 145.0 reverse breakdown voltage, dc and 103.0 reverse voltage, total rms Power Rating Per Characteristic: 1.0 watts small-signal input power, common-collector absolute Maximum Operating Tempurature Per Measurement Point: 175.0 degrees celsius ambient air Precious Material And Location: Leads silver Precious Material: Silver Terminal Type And Quantity: 2 uninsulated wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: No	-	
Hermetically sealed case Semiconductor Material: Silicon Voltage Rating In Volts Per Characteristic: 145.0 reverse breakdown voltage, dc and 103.0 reverse voltage, total rms Power Rating Per Characteristic: 1.0 watts small-signal input power, common-collector absolute Maximum Operating Tempurature Per Measurement Point: 175.0 degrees celsius ambient air Precious Material And Location: Leads silver Precious Material: Silver Terminal Type And Quantity: 2 uninsulated wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: No		
Semiconductor Material: Silicon Voltage Rating In Volts Per Characteristic: 145.0 reverse breakdown voltage, dc and 103.0 reverse voltage, total rms Power Rating Per Characteristic: 1.0 watts small-signal input power, common-collector absolute Maximum Operating Tempurature Per Measurement Point: 175.0 degrees celsius ambient air Precious Material And Location: Leads silver Precious Material: Silver Terminal Type And Quantity: 2 uninsulated wire lead Shelf Life: N/a Unit Of Measure: 		
Silicon Voltage Rating In Volts Per Characteristic: 145.0 reverse breakdown voltage, dc and 103.0 reverse voltage, total rms Power Rating Per Characteristic: 1.0 watts small-signal input power, common-collector absolute Maximum Operating Tempurature Per Measurement Point: 175.0 degrees celsius ambient air Precious Material And Location: Leads silver Precious Material: Silver Terminal Type And Quantity: 2 uninsulated wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: No	ermetically sealed case	
Voltage Rating In Volts Per Characteristic: 145.0 reverse breakdown voltage, dc and 103.0 reverse voltage, total rms Power Rating Per Characteristic: 1.0 watts small-signal input power, common-collector absolute Maximum Operating Tempurature Per Measurement Point: 175.0 degrees celsius ambient air Precious Material And Location: Leads silver Precious Material: Silver Terminal Type And Quantity: 2 uninsulated wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: No	emiconductor Material:	
145.0 reverse breakdown voltage, dc and 103.0 reverse voltage, total rms Power Rating Per Characteristic: 1.0 watts small-signal input power, common-collector absolute Maximum Operating Tempurature Per Measurement Point: 175.0 degrees celsius ambient air Precious Material And Location: Leads silver Precious Material: Silver Terminal Type And Quantity: 2 uninsulated wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: No	ilicon	
Power Rating Per Characteristic: 1.0 watts small-signal input power, common-collector absolute Maximum Operating Tempurature Per Measurement Point: 175.0 degrees celsius ambient air Precious Material And Location: Leads silver Precious Material: Silver Terminal Type And Quantity: 2 uninsulated wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: No	oltage Rating In Volts Per Characteristic:	
1.0 watts small-signal input power, common-collector absolute Maximum Operating Tempurature Per Measurement Point: 175.0 degrees celsius ambient air Precious Material And Location: Leads silver Precious Material: Silver Terminal Type And Quantity: 2 uninsulated wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: No	45.0 reverse breakdown voltage, dc and 103.0 reverse voltage, total rms	
Maximum Operating Tempurature Per Measurement Point: 175.0 degrees celsius ambient air Precious Material And Location: Leads silver Precious Material: Silver Terminal Type And Quantity: 2 uninsulated wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: No	ower Rating Per Characteristic:	
175.0 degrees celsius ambient air Precious Material And Location: Leads silver Precious Material: Silver Terminal Type And Quantity: 2 uninsulated wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: No	0 watts small-signal input power, common-collector absolute	
Precious Material And Location: Leads silver Precious Material: Silver Terminal Type And Quantity: 2 uninsulated wire lead Shelf Life: N/a Unit Of Measure: Demilitarization:	aximum Operating Tempurature Per Measurement Point:	
Leads silver Precious Material: Silver Terminal Type And Quantity: 2 uninsulated wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: No	75.0 degrees celsius ambient air	
Precious Material: Silver Terminal Type And Quantity: 2 uninsulated wire lead Shelf Life: N/a Unit Of Measure: Demilitarization:	recious Material And Location:	
Silver Terminal Type And Quantity: 2 uninsulated wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: No	eads silver	
Terminal Type And Quantity: 2 uninsulated wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: No	recious Material:	
2 uninsulated wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: No	ilver	
Shelf Life: N/a Unit Of Measure: Demilitarization: No	erminal Type And Quantity:	
N/a Unit Of Measure: Demilitarization: No	uninsulated wire lead	
Unit Of Measure: Demilitarization: No	helf Life:	
Unit Of Measure: Demilitarization: No	/a	
 Demilitarization: No		
Νο		
Νο	emilitarization:	
A110a0	-	