

View Online at <https://aerobasegroup.com/nsn/5961-00-726-0781>

**Inclosure Material:**

Metal all semiconductor device diode

**Overall Length:**

1.253 inches all semiconductor device diode

**Function For Which Designed:**

Zener diode

**Mounting Facility Quantity:**

1 all semiconductor device diode

**Internal Configuration:**

Junction contact all semiconductor device diode

**Joint Electronic Device Engineering Council/jedec/case Outline Designation:**

Do-4 all semiconductor device diode

**Electrode Internally-electrically Connected To Case:**

Anode all semiconductor device diode

**Internal Junction Configuration:**

Pn all semiconductor device diode

**Component Function Relationship:**

Matched

**Component Name And Quantity:**

2 semiconductor device diode

**Mounting Method:**

Threaded stud all semiconductor device diode

**Features Provided:**

Hermetically sealed case

**Overall Width Across Flats:**

0.424 inches all semiconductor device diode and 0.437 inches all semiconductor device diode

**Thread Size:**

0.190 inches all semiconductor device diode

**Semiconductor Material:**

Silicon all semiconductor device diode

**Voltage Rating In Volts Per Characteristic:**

28.0 regulator voltage all semiconductor device diode

**Voltage Tolerance In Percent:**

-1.0/+1.0 all semiconductor device diode

**Current Rating Per Characteristic:**

600.00 milliamperes source cutoff current horsepower metric all semiconductor device diode

**Power Rating Per Characteristic:**

10.0 watts small-signal input power, common-collector preset all semiconductor device diode

**Maximum Operating Temperature Per Measurement Point:**

100.0 degrees celsius ambient air all semiconductor device diode

**Thread Series Designator:**

Unf all semiconductor device diode

**Terminal Type And Quantity:**

1 case all semiconductor device diode and 1 tab, solder lug all semiconductor device diode and 1 threaded stud all semiconductor device diode

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A110a0