## NSN 5961-01-040-6423

Diode Semiconductor Device - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5961-01-040-6423

**Inclosure Material:** 

Metal

**Overall Length:** 

1.253 inches

**End Application:** 

Central message switch, an/tyc-39a; support equipment, b-52 aircraft; aircraft, sof (ac-130h, mc-130h, ec-130e, hc-130); tactical data system, an/uya- (v); tactical air opns module (an/tyq-(23); computer display set an/uyq-21(v); support equipment, b-1 aircraft; communications systems, an/wrr-7; fire control system, mk 92 (fcs)

**Mounting Facility Quantity:** 

1

Joint Electronic Device Engineering Council/jedec/case Outline Designation:

Do-4

**Electrode Internally-electrically Connected To Case:** 

Cathode

**Mounting Method:** 

Threaded stud

**Overall Width Across Flats:** 

Between 0.424 inches and 0.437 inches

**Thread Size:** 

0.190 inches

**Criticality Code Justification:** 

Feat

**Semiconductor Material:** 

Silicon

Voltage Rating In Volts Per Characteristic:

150.0 reverse voltage, instantaneous and 150.0 working peak reverse voltage

**Current Rating Per Characteristic:** 

400.00 amperes forward current, average preset

**Maximum Operating Tempurature Per Measurement Point:** 

175.0 degrees celsius junction

**Special Features:** 

Weapon system essential

**Test Data Document:** 

81349-mil-prf-19500 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Thread Series Designator:** 

Unf

**Terminal Type And Quantity:** 

1 threaded stud and 1 tab, solder lug

**Specification Data:** 

81349-mil-prf-19500/478 government specification

Shelf Life:

N/a

it Of Massura:

## NSN 5961-01-040-6423

Diode Semiconductor Device - Page 2 of 2



Demilitarization:

No

Fiig:

A110a0

Mil-std (military Standard):

Mil-prf-19500 spec.