## NSN 5961-01-192-3258

Thyristor Semiconductor Device - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5961-01-192-3258 **Inclosure Material:** Metal **Overall Length:** 0.260 inches **Terminal Length:** 1.500 inches **Overall Diameter:** 0.335 inches **End Application:** Radio-telemetric data set an/srq-4 **Internal Configuration:** Junction contact Joint Electronic Device Engineering Council/jedec/case Outline Designation: To-5 **Electrode Internally-electrically Connected To Case: Mounting Method: Terminal Terminal Circle Diameter:** 0.200 inches **Features Provided:** Hermetically sealed case and quality assurance level txv **Semiconductor Material:** Silicon Voltage Rating In Volts Per Characteristic: 2.2 forward voltage, peak and 1.0 gate trigger voltage, dc **Current Rating Per Characteristic:** 2.00 milliamperes forward current, total rms peak **Maximum Operating Tempurature Per Measurement Point:** 125.0 degrees celsius ambient air **Special Features:** Junction pattern arrangement: pnpn **Test Data Document:** 81349-mil-s-19500 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). **Terminal Type And Quantity:** 3 uninsulated wire lead **Specification Data:** 

--

N/a

Shelf Life:

**Unit Of Measure:** 

81349-mil-s-19500/276 government specification

## NSN 5961-01-192-3258

Thyristor Semiconductor Device - Page 2 of 2



Demilitarization:

No

Fiig:

A110a0