Transistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5961-01-235-3279

#### **Inclosure Material:**

Metal

**Overall Length:** 

0.260 inches

# Terminal Length:

1.500 inches

#### **Overall Diameter:**

0.370 inches

#### **Internal Configuration:**

Junction contact

#### Joint Electronic Device Engineering Council/jedec/case Outline Designation:

#### To-5

Electrode Internally-electrically Connected To Case:

#### Collector

**Mounting Method:** 

# Terminal

Terminal Circle Diameter:

# 0.200 inches

### Features Provided:

Hermetically sealed case and quality assurance level s

#### Semiconductor Material:

#### Silicon

#### Voltage Rating In Volts Per Characteristic:

140.0 collector to base voltage/static/emitter open and 80.0 collector to emitter voltage/static/base open and 7.0 emitter to base voltage,

static, collector open

#### **Current Rating Per Characteristic:**

1.00 amperes source cutoff current

#### **Power Rating Per Characteristic:**

5.0 watts small-signal input power, common-collector preset

#### Transfer Ratio:

90.0 static forward current transfer ratio, common-emitter

# Maximum Operating Tempurature Per Measurement Point:

175.0 degrees celsius junction

# **Special Features:**

Junction pattern arrangement: npn

# **Test Data Document:**

81349-mil-prf-19500 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

# Terminal Type And Quantity:

3 uninsulated wire lead

# Specification Data:

81349-mil-prf-19500/391 government specification

# Shelf Life:

NI/o

# NSN 5961-01-235-3279

Transistor - Page 2 of 2



Unit Of Measure:

---

# Demilitarization:

Yes - demil/mli

Fiig:

A110a0

Mil-std (military Standard):

Mil-prf-19500 spec.