Diode Semiconductor Device - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5961-01-249-1031

Inclosure Material:
Metal
Overall Length:
0.080 inches
Terminal Length:
0.500 inches
Overall Diameter:
0.230 inches
Joint Electronic Device Engineering Council/jedec/case Outline Designation:
To-46
Mounting Method:
Terminal
Features Provided:
Hermetically sealed case
Semiconductor Material:
Silicon
Voltage Rating In Volts Per Characteristic:
1.2 reverse breakdown voltage, dc
Current Rating Per Characteristic:
Current Rating Per Characteristic: 30.00 milliamperes forward current, average peak and 10.00 milliamperes source cutoff current preset
-
30.00 milliamperes forward current, average peak and 10.00 milliamperes source cutoff current preset
30.00 milliamperes forward current, average peak and 10.00 milliamperes source cutoff current preset Maximum Operating Tempurature Per Measurement Point:
30.00 milliamperes forward current, average peak and 10.00 milliamperes source cutoff current preset Maximum Operating Tempurature Per Measurement Point: 125.0 degrees celsius ambient air
30.00 milliamperes forward current, average peak and 10.00 milliamperes source cutoff current preset Maximum Operating Tempurature Per Measurement Point: 125.0 degrees celsius ambient air Terminal Type And Quantity:
<ul> <li>30.00 milliamperes forward current, average peak and 10.00 milliamperes source cutoff current preset</li> <li>Maximum Operating Tempurature Per Measurement Point:</li> <li>125.0 degrees celsius ambient air</li> <li>Terminal Type And Quantity:</li> <li>2 uninsulated wire lead</li> </ul>
30.00 milliamperes forward current, average peak and 10.00 milliamperes source cutoff current preset Maximum Operating Tempurature Per Measurement Point: 125.0 degrees celsius ambient air Terminal Type And Quantity: 2 uninsulated wire lead Shelf Life:
30.00 milliamperes forward current, average peak and 10.00 milliamperes source cutoff current preset Maximum Operating Tempurature Per Measurement Point: 125.0 degrees celsius ambient air Terminal Type And Quantity: 2 uninsulated wire lead Shelf Life: N/a
30.00 milliamperes forward current, average peak and 10.00 milliamperes source cutoff current preset Maximum Operating Tempurature Per Measurement Point: 125.0 degrees celsius ambient air Terminal Type And Quantity: 2 uninsulated wire lead Shelf Life: N/a
30.00 milliamperes forward current, average peak and 10.00 milliamperes source cutoff current preset Maximum Operating Tempurature Per Measurement Point: 125.0 degrees celsius ambient air Terminal Type And Quantity: 2 uninsulated wire lead Shelf Life: N/a Unit Of Measure:
30.00 milliamperes forward current, average peak and 10.00 milliamperes source cutoff current preset Maximum Operating Tempurature Per Measurement Point: 125.0 degrees celsius ambient air Terminal Type And Quantity: 2 uninsulated wire lead Shelf Life: N/a Unit Of Measure:  Demilitarization:
30.00 milliamperes forward current, average peak and 10.00 milliamperes source cutoff current preset Maximum Operating Tempurature Per Measurement Point: 125.0 degrees celsius ambient air Terminal Type And Quantity: 2 uninsulated wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: No