## NSN 5962-00-001-1907

Digital Microcircuit - Page 1 of 1



View Opline at https://aerobasegroup.com/psp/5962-00-001-1907

View Online at https://aerobasegrou	ıp.com/nsn/5962-00-001-1907
Body Length:	
0.260 inches	
Body Width:	
0.260 inches	
Body Height:	
Between 0.030 inches and 0.070 inc	ches
Maximum Power Dissipation Rati	ng:
450.0 milliwatts	
Operating Tempurature Range:	
-55.0/+125.0 degrees celsius	
Storage Tempurature Range:	
-65.0/+150.0 degrees celsius	
Features Provided:	
Hermetically sealed and burn in and	I monolithic and positive outputs
Inclosure Material:	
Ceramic	
Inclosure Configuration:	
Flat pack	
Output Logic Form:	
Diode logic	
Input Circuit Pattern:	
6 input	
Terminal Surface Treatment:	
Solder	
Time Rating Per Chacteristic:	
25.00 nanoseconds propagation de	elay time, low to high level output and 25.00 nanoseconds propagation delay time, high to low level
output	
Test Data Document:	
37695-619126 drawing (this is the t	basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.;
excludes any specification, standar	rd or other document that may be referenced in a basic governing drawing)
Terminal Type And Quantity:	
14 flat leads	
Shelf Life:	
N/a	
Unit Of Measure:	

Demilitarization:

Yes - demil/mli

Fiig:

A458a0