# NSN 5962-00-001-3295

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-00-001-3295

# **Body Length:**

Between 0.240 inches and 0.260 inches

# **Body Width:**

Between 0.240 inches and 0.260 inches

# **Body Height:**

Between 0.030 inches and 0.070 inches

# **Maximum Power Dissipation Rating:**

200.0 milliwatts

## **Operating Tempurature Range:**

-55.0/+85.0 degrees celsius

## Storage Tempurature Range:

-65.0/+150.0 degrees celsius

## **Features Provided:**

Hermetically sealed and monolithic and positive outputs and negative outputs

#### **Inclosure Material:**

# Glass and metal

Inclosure Configuration:

# Flat pack

Input Circuit Pattern:

2 channel

# **Design Function And Quantity:**

2 switch, analog

# **Terminal Surface Treatment:**

Gold

## Voltage Rating And Type Per Characteristic:

5.5 volts power source

## **Precious Material And Location:**

Terminals gold and body gold

## **Precious Material:**

Gold

## **Test Data Document:**

97942-138c020 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

## **Terminal Type And Quantity:**

14 flat leads

## Shelf Life:

N/a

# Unit Of Measure:

---

# Demilitarization:

Yes - demil/mli

## Fiig:

A458a0