NSN 5962-00-008-6875

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-00-008-6875

Body Length:

Between 0.330 inches and 0.350 inches

Body Width:

Between 0.140 inches and 0.275 inches

Body Height:

Between 0.050 inches and 0.080 inches

Maximum Power Dissipation Rating:

130.0 milliwatts

Operating Tempurature Range:

-55.0/+125.0 degrees celsius

Storage Tempurature Range:

-65.0/+150.0 degrees celsius

Features Provided:

Hermetically sealed and monolithic and high speed and presettable and resettable and positive outputs

Inclosure Material:

Glass and metal

Inclosure Configuration:

Flat pack

Output Logic Form:

Transistor-transistor logic

Input Circuit Pattern:

4 input

Terminal Surface Treatment:

Gold

Voltage Rating And Type Per Characteristic:

5.5 volts power source

Time Rating Per Chacteristic:

100.00 nanoseconds propagation delay time, low to high level output

Precious Material And Location:

Terminals gold and body gold

Precious Material:

Gold

Test Data Document:

80063-sm-b-587946 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Terminal Type And Quantity:

14 flat leads

Shelf Life:

N/a

Unit Of Measure:

--

- Demilitarization:
- Yes demil/mli

NSN 5962-00-008-6875 Digital Microcircuit - Page 2 of 2

Fiig: A458a0

