# NSN 5962-00-008-7033

Digital Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-00-008-7033

# **Body Length:**

Between 0.815 inches and 0.890 inches

# **Body Width:**

Between 0.240 inches and 0.260 inches

# **Body Height:**

Between 0.115 inches and 0.180 inches

### **Operating Tempurature Range:**

+0.0/+70.0 degrees celsius

### Storage Tempurature Range:

-65.0/+150.0 degrees celsius

### **Features Provided:**

Monolithic and positive outputs and w/enable and medium speed and fast carry and presettable and asynchronous and synchronous and w/clear

### Inclosure Material:

Resin

### Inclosure Configuration:

Dual-in-line

### **Output Logic Form:**

Transistor-transistor logic

### Input Circuit Pattern:

8 input

### **Design Function And Quantity:**

1 counter

### **Case Outline Source And Designator:**

-0-001-al joint electron device engineering council

### **Terminal Surface Treatment:**

Solder

# Voltage Rating And Type Per Characteristic:

5.5 volts power source

### Time Rating Per Chacteristic:

38.00 nanoseconds propagation delay time, low to high level output and 47.00 nanoseconds propagation delay time, high to low level output

# **Terminal Type And Quantity:**

16 printed circuit

#### Shelf Life:

N/a

# Unit Of Measure:

---

# Demilitarization:

Yes - demil/mli

# Fiig:

A458a0