NSN 5962-00-014-6196

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-00-014-6196

View Online at https://aerobasegroup.com/nsn/5962-00-014-6196
Body Length:
Between 0.240 inches and 0.275 inches
Body Width:
Between 0.140 inches and 0.275 inches
Body Height:
Between 0.030 inches and 0.070 inches
Maximum Power Dissipation Rating:
75.0 milliwatts
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
Features Provided:
Monolithic and hermetically sealed and positive outputs and w/enable and medium speed
Inclosure Material:
Ceramic and glass
Inclosure Configuration:
Flat pack
Output Logic Form:
Diode-transistor logic
Input Circuit Pattern:
Dual 5 input
Design Function And Quantity:
2 flip-flop, j-k/r-s, clocked, master slave
Terminal Surface Treatment:
Gold
Voltage Rating And Type Per Characteristic:
-1.5 volts power source and 5.5 volts power source
Precious Material And Location:
Terminal surface gold
Precious Material:
Gold
Test Data Document:
88818-c528000270 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing,
etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Terminal Type And Quantity:
14 flat leads
Shelf Life:
N/a
Unit Of Measure:

Yes - demil/mli

Demilitarization:

NSN 5962-00-014-6196Digital Microcircuit - Page 2 of 2



Fiig:

A458a0