NSN 5962-00-022-3457

Digital Microcircuit - Page 1 of 2

Yes - demil/mli



View Online at https://aerobasegroup.com/nsn/5962-00-022-3457

Body Outside Diameter:
Between 0.335 inches and 0.370 inches
Body Height:
Between 0.165 inches and 0.185 inches
Maximum Power Dissipation Rating:
30.0 milliwatts
Operating Tempurature Range:
+0.0/+70.0 degrees celsius
Storage Tempurature Range:
65.0/+150.0 degrees celsius
Features Provided:
Hermetically sealed and monolithic and positive outputs and medium power and medium speed
nclosure Material:
Glass and metal
nclosure Configuration:
Can
Output Logic Form:
Resistor-transistor logic
nput Circuit Pattern:
2 input
Design Function And Quantity:
1 buffer, inverting
Case Outline Source And Designator:
Γ0-99 joint electron device engineering council
Terminal Surface Treatment:
Gold
Voltage Rating And Type Per Characteristic:
4.0 volts power source
Time Rating Per Chacteristic:
32.00 nanoseconds propagation delay time, low to high level output and 32.00 nanoseconds propagation delay time, high to low level
putput
Precious Material And Location:
Terminals gold
Precious Material:
Gold
Terminal Type And Quantity:
3 pin
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

NSN 5962-00-022-3457Digital Microcircuit - Page 2 of 2



Fiig:

A458a0