# NSN 5962-00-096-3712

Digital Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-00-096-3712

# **Body Length:**

Between 0.660 inches and 0.785 inches

## Body Width:

Between 0.220 inches and 0.280 inches

## **Body Height:**

Between 0.140 inches and 0.180 inches

# **Maximum Power Dissipation Rating:**

105.0 milliwatts

#### **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

#### Storage Tempurature Range:

-65.0/+150.0 degrees celsius

### **Features Provided:**

Hermetically sealed and monolithic and positive outputs and complementary outputs

#### **Inclosure Material:**

Ceramic and glass

# Inclosure Configuration:

Dual-in-line

## **Output Logic Form:**

Transistor-transistor logic

#### Input Circuit Pattern:

9 input

#### **Design Function And Quantity:**

1 adder, full, binary

#### Case Outline Source And Designator:

T0-116 joint electron device engineering council

#### **Terminal Surface Treatment:**

Solder

#### Voltage Rating And Type Per Characteristic:

5.5 volts power source

#### **Time Rating Per Chacteristic:**

70.00 nanoseconds propagation delay time, low to high level output and 80.00 nanoseconds propagation delay time, high to low level

output

## **Terminal Type And Quantity:**

14 printed circuit

#### Shelf Life:

N/a

# Unit Of Measure:

---

## Demilitarization:

Yes - demil/mli

#### Fiig:

A458a0