# NSN 5962-00-116-1904

Digital Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-00-116-1904

## **Body Length:**

Between 0.240 inches and 0.275 inches

## Body Width:

Between 0.240 inches and 0.260 inches

## **Body Height:**

Between 0.030 inches and 0.070 inches

# **Maximum Power Dissipation Rating:**

60.0 milliwatts

#### **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

### Storage Tempurature Range:

-65.0/+150.0 degrees celsius

### **Features Provided:**

Hermetically sealed and monolithic and medium speed and positive outputs

#### **Inclosure Material:**

# Ceramic and glass

Inclosure Configuration:

Flat pack

### **Output Logic Form:**

Transistor-transistor logic

### Input Circuit Pattern:

Dual 3 input

# Case Outline Source And Designator:

T0-86 joint electron device engineering council

### **Terminal Surface Treatment:**

Solder

# Voltage Rating And Type Per Characteristic:

-1.5 volts power source and 5.5 volts power source

### Time Rating Per Chacteristic:

15.00 nanoseconds propagation delay time, low to high level output

### Terminal Type And Quantity:

14 flat leads

#### Shelf Life:

N/a

### Unit Of Measure:

--

## Demilitarization:

Yes - demil/mli

Fiig:

A458a0