# NSN 5962-00-118-6190

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-00-118-6190

#### **Body Length:**

Between 0.240 inches and 0.260 inches

#### Body Width:

Between 0.240 inches and 0.260 inches

#### **Body Height:**

Between 0.050 inches and 0.065 inches

#### **Maximum Power Dissipation Rating:**

570.0 milliwatts

#### **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

#### Storage Tempurature Range:

-65.0/+150.0 degrees celsius

#### **Features Provided:**

Monolithic and hermetically sealed and high gain and low power and low level and negative outputs and positive outputs and externally compensated

## Inclosure Material:

Ceramic and glass

### Inclosure Configuration:

Flat pack

#### Input Circuit Pattern:

4 input

#### **Case Outline Source And Designator:**

T0-91 joint electron device engineering council

#### **Terminal Surface Treatment:**

Gold

#### **Time Rating Per Chacteristic:**

1000.00 nanoseconds propagation delay time, low to high level output

#### Precious Material And Location:

Terminals gold

#### **Precious Material:**

Gold

#### Shelf Life:

N/a

#### Unit Of Measure:

---

#### Demilitarization:

Yes - demil/mli

#### Fiig:

A458a0