NSN 5962-00-122-6698

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-00-122-6698

View Online at https://aerobasegroup.com/nsn/5962-00-122-6698
Body Length:
Between 0.240 inches and 0.260 inches
Body Width:
Between 0.240 inches and 0.290 inches
Body Height:
Between 0.030 inches and 0.070 inches
Maximum Power Dissipation Rating:
53.0 milliwatts
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
Features Provided:
Adjustable and monolithic and positive outputs and w/buffered output
Inclosure Material:
Plastic
Inclosure Configuration:
Flat pack
Input Circuit Pattern:
4 input
Design Function And Quantity:
1 amplifier, video
Case Outline Source And Designator:
T0-91 joint electron device engineering council
Terminal Surface Treatment:
Solder
Voltage Rating And Type Per Characteristic:
-3.0 volts power source and 4.0 volts power source
Time Rating Per Chacteristic:
15.00 nanoseconds propagation delay time, low to high level output
Terminal Type And Quantity:
10 flat leads
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:

A458a0