# NSN 5962-00-138-1500

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-00-138-1500

## **Body Length:**

Between 0.660 inches and 0.785 inches

## Body Width:

Between 0.220 inches and 0.280 inches

## **Body Height:**

Between 0.140 inches and 0.180 inches

## **Maximum Power Dissipation Rating:**

1.0 watts

#### **Operating Tempurature Range:**

+0.0/+75.0 degrees celsius

## Storage Tempurature Range:

-65.0/+150.0 degrees celsius

## **Features Provided:**

Hermetically sealed and positive outputs and monolithic

#### **Inclosure Material:**

# Ceramic and glass

## Inclosure Configuration:

Dual-in-line

## Input Circuit Pattern:

Quad 1 input

# **Design Function And Quantity:**

4 receiver, line

## Case Outline Source And Designator:

T0-116 joint electron device engineering council

## **Terminal Surface Treatment:**

Solder

## Voltage Rating And Type Per Characteristic:

-30.0 volts power source and 30.0 volts power source

## Time Rating Per Chacteristic:

85.00 nanoseconds propagation delay time, low to high level output and 50.00 nanoseconds propagation delay time, high to low level output

## **Terminal Type And Quantity:**

14 printed circuit

#### Shelf Life:

N/a

# Unit Of Measure:

---

## Demilitarization:

Yes - demil/mli

#### Fiig:

A458a0