NSN 5962-00-140-9240

Linear Microcircuit - Page 1 of 1

Demilitarization:Yes - demil/mli

Fiig: A458a0



View Online at https://aerobasegroup.com/nsn/5962-00-140-9240 **Body Length:** 1.060 inches **Body Width:** 0.605 inches **Body Height:** 0.160 inches **Operating Tempurature Range:** -55.0 to 85.0 degrees celsius Storage Tempurature Range: -55.0/+125.0 degrees celsius **Features Provided:** Hybrid and hermetically sealed and negative outputs and positive outputs and medium speed **Inclosure Material:** Ceramic and glass **Inclosure Configuration:** Single-in-line **Input Circuit Pattern:** 1 input **Design Function And Quantity:** 1 amplifier, audio frequency and 1 amplifier, hybrid **Terminal Surface Treatment:** Solder **Voltage Rating And Type Per Characteristic:** -0.5 volts power source and 5.5 volts power source **Time Rating Per Chacteristic:** 25.00 nanoseconds propagation delay time, low to high level output and 25.00 nanoseconds propagation delay time, high to low level output **Test Data Document:** 37695-615155 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) **Terminal Type And Quantity:** 10 pin Shelf Life: N/a **Unit Of Measure:**