NSN 5962-00-146-5047

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-00-146-5047 **Body Length:** Between 0.660 inches and 0.785 inches **Body Width:** Between 0.220 inches and 0.280 inches **Body Height:** Between 0.140 inches and 0.180 inches **Maximum Power Dissipation Rating:** 800.0 milliwatts **Operating Tempurature Range:** +0.0/+70.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **Features Provided:** High current and high speed and high voltage and internally compensated and monolithic and positive outputs **Inclosure Material: Plastic Inclosure Configuration:** Dual-in-line **Input Circuit Pattern:** 5 input **Design Function And Quantity:** 2 driver, high current and 2 driver, peripheral **Case Outline Source And Designator:** T0-116 joint electron device engineering council **Terminal Surface Treatment:** Silver **Time Rating Per Chacteristic:** 22.00 nanoseconds propagation delay time, low to high level output and 15.00 nanoseconds propagation delay time, high to low level output **Precious Material And Location:** Terminals silver **Precious Material:** Silver Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

No

Fiig:

A458a0