## NSN 5962-00-166-0592

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-00-166-0592

Body Outside Diameter:
0.370 inches
Body Height:
0.185 inches
Maximum Power Dissipation Rating:
800.0 milliwatts
Operating Tempurature Range:
-55.0 to 150.0 degrees celsius
Storage Tempurature Range:
-65.0 to 150.0 degrees celsius
End Application:
Aircraft, harrier av-8b; submarine communications and antenna systems; los angeles class ssn (688); ship, ohio class ssn (trident);
aircraft, hawkeye e-2c; helicopter, carrier based asw, sh-60f; navigational systems; aircraft, hornet f/a-18; arleigh burke class ddg;
helicopter, lamps mark iii, sh-60b
Features Provided:
Hermetically sealed
Inclosure Material:
Metal
Inclosure Configuration:
Can
Criticality Code Justification:
Feat
Design Function And Quantity:
1 regulator, voltage
Terminal Surface Treatment:
Solder
Product Name:
Integrated circuit, voltage regulator
Voltage Rating And Type Per Characteristic:
50.0 volts power source
Special Features:
Weapon system essential
Test Data Document:
96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).
Terminal Type And Quantity:
8 pin
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli

A458a0

Fiig: