NSN 5962-00-170-9895

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-00-170-9895 **Body Length:** 0.750 inches **Body Width:** 0.450 inches **Body Height:** 0.140 inches **Maximum Power Dissipation Rating:** 400.0 milliwatts **Operating Tempurature Range:** -55.0/+125.0 degrees celsius Storage Tempurature Range: -65.0/+125.0 degrees celsius **Features Provided:** Monolithic and hermetically sealed and negative outputs and positive outputs **Inclosure Material:** Ceramic or glass or metal **Inclosure Configuration:** Dual-in-line **Input Circuit Pattern:** 8 input **Design Function And Quantity:** 1 converter, digital to analog **Terminal Surface Treatment:** Solder **Voltage Rating And Type Per Characteristic:** 18.0 volts power source **Time Rating Per Chacteristic:** 3000.00 nanoseconds propagation delay time, low to high level output **Test Data Document:** 98738-48+238713 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) **Terminal Type And Quantity:** 14 printed circuit Shelf Life: N/a **Unit Of Measure:**

Demilitarization: Yes - demil/mli

Fiig:

A458a0