## NSN 5962-00-172-1176

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-00-172-1176 **Body Length:** 1.252 inches **Body Width:** 0.700 inches **Body Height:** Between 0.250 inches and 0.340 inches **Maximum Power Dissipation Rating:** 3.0 watts **Operating Tempurature Range:** -55.0/+175.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **Features Provided:** Monolithic and hermetically sealed and positive outputs and high speed and internally compensated and externally compensated **Inclosure Material:** Glass and metal **Inclosure Configuration:** Can **Input Circuit Pattern:** 2 input **Design Function And Quantity:** 1 regulator, voltage **Terminal Surface Treatment:** Tin **Time Rating Per Chacteristic:** 10.00 nanoseconds propagation delay time, low to high level output and 10.00 nanoseconds propagation delay time, high to low level output **Test Data Document:** 80063-sm-b-586429 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a **Unit Of Measure:** 

**Demilitarization:** 

Yes - demil/mli

Fiig:

A458a0