## NSN 5962-00-257-9096

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-00-257-9096

| Body Length:  |
|---|
| Between 0.750 inches and 0.785 inches   |
| Body Width:   |
| Between 0.220 inches and 0.280 inches   |
| Body Height:  |
| Between 0.130 inches and 0.180 inches   |
| Operating Tempurature Range:  |
| -55.0/+125.0 degrees celsius  |
| Storage Tempurature Range:  |
| -65.0/+150.0 degrees celsius  |
| Features Provided:  |
| Monolithic and hermetically sealed and positive outputs and w/disable and 3-state output  |
| Inclosure Material:   |
| Ceramic and glass   |
| Inclosure Configuration:  |
| Dual-in-line Dual-in-line   |
| Input Circuit Pattern:  |
| 10 input  |
| Terminal Surface Treatment:   |
| Tin   |
| Time Rating Per Chacteristic:   |
| 25.00 nanoseconds propagation delay time, low to high level output and 25.00 nanoseconds propagation delay time, high to low leve |
| output  |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |
|   |
| Demilitarization:   |
| Yes - demil/mli   |
| Fiig:   |
| A458a0  |
|   |